# IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in diecasted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.





## LED 2700K

#### **LAMPING**

Source linear LED
Total power 58W

Emission diffused, 360°

Switching dimmable, DALI push

Tension 230V Color temperature 2700K

Luminous flux 2850lm (source luminous flux)

Typ CRI 85 Energy class A+

Materials aluminium + PC

Notes cable length 3m, also available in 120V

Net lamp weight 4 kg

# Codes Structure/Diffuser

ITW LWW 55 white/white
ITW LNW 55 black/white
ITW LGW 55 gold/white
ITW LDW 55 titan grey/white

**PACKAGE** 

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni





## LED 3000K

#### **LAMPING**

Source linear LED
Total power 58W

Emission diffused, 360°

Switching dimmable, DALI push

Tension 230V
Color temperature 3000K
Luminous flux 2850lm
Typ CRI 85
Energy class A+

Materials aluminium + PC

Notes cable length 3m, also available in 120V

Net lamp weight 4 kg

## Codes Structure/Diffuser

ITW LWW 58 white/white
ITW LNW 58 black/white
ITW LGW 58 gold/white
ITW LDW 58 titan grey/white

**PACKAGE** 

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni



