


LINESCAPES FLOOR

Family of floor, ceiling and wall elements, efficient with an highly versatile linear luminous output. Body in aluminium extruded and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or balck finishing with elements in grey painted on the floor and wall versions.



LED 2700K

LAMPING

Source	linear LED
Total power	38W
Emission	diffused
Switching	dimmable
Tension	110/240V
Color temperature	2700K
Luminous flux	2050lm
Typ CRI	85
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	dimmer on cable, cable length 2,5m
Net lamp weight	8,9 kg

Codes

LIN LW2 21
LIN LN2 21

Structure/Diffuser

white/grey/white
black/grey/white

PACKAGE

Package 01
Package 02

Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Dimension: 20x20x204 cm / Gross weight: 5,5 kg

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	38W
Emission	diffused
Switching	dimmable
Tension	110/240V
Color temperature	3000K
Luminous flux	2050lm
Typ CRI	85
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	dimmer on cable, cable length 2,5m
Net lamp weight	8,9 kg

Codes

LIN LWD 21
LIN LND 21

Structure/Diffuser

white/grey/white
black/grey/white

PACKAGE

Package 01
Package 02

Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Dimension: 20x20x204 cm / Gross weight: 5,5 kg

Certificazioni

