

# LINESCAPES CANTILEVERED

Family of floor, ceiling and wall lamps, efficient with an highly versatile linear luminous output. Structure in aluminium extruded and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or black finishing with elements in grey painted on the floor and wall versions.



## LED 2700K

---

### LAMPING

Source	linear LED
Total power	12W
Emission	diffused orientable
Tension	24V DC
Color temperature	2700K
Luminous flux	475lm
Typ CRI	85
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	driver not included, recessing box included, wall board for installation included, side emission, orientable 340°, recessed hole 13x11cm depth 9cm
Net lamp weight	1,5 kg

### Codes

LIN LW2 34

### Structure


white

### PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

### Certificazioni



## LED 3000K

---

### LAMPING

Source	linear LED
Total power	12W
Emission	diffused orientable
Tension	24V DC
Color temperature	3000K
Luminous flux	475lm
Typ CRI	85
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	driver not included, recessing box included, wall board for installation included, side emission, orientable 340°, recessed hole 13x11cm depth 9cm
Net lamp weight	1,5 kg

### Codes

LIN LWW 34

### Structure

white

### PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

### Certificazioni

